

## **BUSINESS SMART** S E R I E S



## **Fast, Flexible and Feature-rich**

Your all-in-one A3 wireless inkjet printer

### **MFC-J3960DW**



PRINT



SCAN



COPY



FAX



WIRELESS

[www.brother.eu](http://www.brother.eu)

## Your All-in-One A3 Wireless Inkjet Printer

The MFC-J3960DW delivers premium A3 printing, scanning, copying and faxing in one durable inkjet device.

Featuring MAXIDRIVE technology, offering fast print speeds and consistently high-quality results.

Enjoy flexible paper handling with 2 x 250 sheet paper input trays, 100 sheet multi-purpose tray and 50 sheet Automatic Document Feeder (ADF).

### MFC-J3960DW



#### Key features:

- A3 print, scan, copy and fax
- Durable MAXIDRIVE print head
- Print up to 31 images per minute<sup>1</sup>
- 8.8cm (3.5") Colour touchscreen
- Gigabit Ethernet, 5GHz WiFi and USB
- Print directly from or scan to PC, mobile app and USB
- 500 Sheet paper input tray, 100 sheet multi-purpose tray, 50 sheet Automatic Document Feeder (ADF)<sup>11</sup>
- 100 Sheet paper output<sup>11</sup>
- Comes with 358 black, 358 colour yield inks, 3,000 black, 1,500 colour maximum yield available<sup>9</sup>

#### Reliability with MAXIDRIVE

Brother's patented MAXIDRIVE print chip features advanced piezoelectric technology that ejects ink at high power allowing for faster printing with precision ink delivery.

The automatic maintenance, durable components and premium pigment inks consistently produce vibrant colours and crisp, sharp text from your first page to your last.

#### Effortless setup and use

Take control with driverless printing for a quick and effortless setup. Flexible connectivity options include Gigabit Ethernet, 5GHz WiFi and USB enabling fast and hassle free use.

#### Connect for more control

Set up, print and scan on the go with Brother Mobile Connect. Control all your Brother printers from your fingertips. Easily check ink levels, access your scanned documents history and personalise your frequently used features.



## Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data.

The MFC-J3960DW is 'secure by design', using triple-layer security at a device, network and document level, offering added peace of mind, guaranteeing that the integrity of your data is maintained at every step.

## EPS-free, recyclable packaging

Our award-winning moulded pulp packaging replaces Expanded Polystyrene (EPS) within our printer packaging. Developed with advanced simulation technology, ensures durability and flexibility for safe product delivery. It uses fewer resources, making it environmentally friendly and easy to recycle.

Find out more: [brother.eu/packaging](http://brother.eu/packaging)



## General

<b>Technology</b>	<b>Local Interface</b>	<b>Carton Contents</b>
Inkjet	Hi-Speed USB 2.0	Device, Inbox Inks, Power Supply Cord, Quick Set-Up Guide, Warranty Card
<b>Memory</b>	<b>USB 2.0 Host</b>	
512MB	Front	
<b>Control panel</b>	<b>Wired Network</b>	
8.8cm (3.5") Colour Touchscreen	Gigabit Ethernet	
	<b>Wireless Network</b>	
	2.4GHz and 5GHz Support	

## Print

<b>Print Speed (A4)<sup>1,34</sup></b>	<b>FPOT<sup>34</sup></b>	<b>Resolution</b>
1-Sided: 31.0 ipm Mono / 30.0 ipm Colour	<b>(First Print Out Time)</b>	Up to 1200 x 4800dpi
2-Sided: 22.0 ipm Mono / 21.0 ipm Colour	4.6 Seconds Colour / 4.4 Seconds Mono	
<b>Print (A3)</b>	<b>Quiet Mode</b>	
1-Sided: Yes	A mode to reduce the printing noise	
2-Sided: Yes		

## Printer Functions<sup>33</sup>

<b>N-up Printing</b>	<b>ID Printing</b>	<b>Mirror Print</b>
Reduce up to 16 pages into a single page	Add identification to your printed documents (date and time, short custom message or PC username)	Reverses the printed image on the page from left to right
<b>Poster Printing</b>	<b>Booklet Printing</b>	<b>Reverse Print</b>
Enlarge a single page into a poster using 2x2, 3x3 pages	Print documents in A5 booklet format	Rotate the content of a printed document by 180°
<b>Watermark Printing</b>	<b>Print Profiles</b>	<b>Colour Enhancement</b>
Watermark your documents with predefined text, custom logo or custom messages	Store your favourite driver settings as profiles to easily recall them	Adjust the colour in the image for better print quality
		<b>Borderless Print</b>
		Print up to A4 / Letter without margins

## Driverless Print

<b>Internet Printing Protocol (IPP) Everywhere</b>	<b>Apple AirPrint<sup>17</sup></b>	<b>Brother Print Support App (PSA)<sup>17</sup></b>
Enables driverless printing	Print from, scan to and fax from any AirPrint enabled application	Works alongside the IPP Class Driver to enable brother print features.
<b>Mopria™<sup>17</sup></b>	<b>Universal Print (Microsoft 365)</b>	
Print most common file types from Mopria™ supported Android devices	Print effortlessly with native Universal Print support on Brother printers	

## Legacy Printer Drivers

**Windows**  
Windows 11  
(32 and 64 bit editions)  
and more

**macOS**  
Printing via macOS requires the use of AirPrint. Mac drivers are not provided

**ChromeOS**  
Supports native ChromeOS printing

Visit support.brother.com for the full list of supported OS and to download the latest drivers and software.

## Paper Handling<sup>11</sup>

### Paper Input

#### Standard Tray

250 Sheets

#### Lower Tray

250 Sheets

#### Multi Purpose Tray

100 Sheets

#### Automatic Document Feeder (ADF)

### Paper Output

100 Sheets A4

50 Sheets A3

### Media Sizes

#### Standard Tray

A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm / 4 x 6"), Indexcard (13 x 20cm / 5 x 8"), Photo-L (9 x 13cm / 3.5 x 5"), Photo-2L (13 x 18cm / 5 x 7"), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal

#### Lower Tray

A4, LTR, A3, LGR, LGL, Folio, Mexico Legal, India Legal

#### Multi Purpose Tray

A4, LTR, EXE, A3, LGR, LGL, Folio, A5, A6, Photo (10 x 15cm / 4 x 6"), Indexcard (13 x 20cm / 5 x 8"), Photo-L (9 x 13cm / 3.5 x 5"), Photo-2L (13 x 18cm / 5 x 7"), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max length: 1200mm)

### ADF

Width: 105.0 - 297.0 mm

Length: 148.0 - 431.8 mm

### Scanner Glass

Up to A3 / Ledger  
(297 x 431.8mm)

### Auto 2-Sided

A4, LTR, A3, LGL, LGR, EXE, A5, Folio, Mexico Legal, India Legal

### Media Type and Weights

#### Standard Tray

Plain, Inkjet, Glossy, Recycled  
64 - 220gsm

#### Lower Tray

Plain, Recycled  
64 - 120gsm

#### Multi Purpose Tray

Plain, Inkjet, Glossy, Recycled  
64 - 220gsm

#### ADF

Plain, Recycled  
64 - 120gsm

#### Auto 2-Sided

Plain, Recycled  
64 - 120gsm

## Mobile and Web Connectivity

### Brother Mobile Connect<sup>17</sup> (Android)

Print from, scan to, preview copies and check the machine status from an Android device

### Brother Mobile Connect<sup>17</sup> (iPad / iPhone)

Print from, scan to, preview copies and check the machine status from an iPad / iPhone

### Brother Print Service Plugin<sup>17</sup>

Print from an Android devices without a dedicated App

### Brother Apps<sup>18</sup>

Scan to Searchable PDF, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail, Fax forward to Cloud/Email, Scan to mobile, Cloud secure print, Infobar, Email Print

### Web Connect<sup>18</sup>

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™ OneNote, SharePoint online

## Copy

### Copy Speed (A4)<sup>4,34</sup>

1-Sided: 25.0 ipm Mono /  
16.0 ipm Colour  
2-Sided: 18.0 ipm Mono /  
13.0 ipm Colour

### FCOT<sup>6,34</sup>

(First Copy Out Time)  
5.0 Seconds Mono /  
6.0 Seconds Colour

### Resolution

Up to 1200 x 4800dpi  
Mono and Colour

### Copy (A3)

1-Sided: Yes  
2-Sided: Yes

## Copy Functions

### Multi-Copying/Stack/Sort

Makes multiple copies of a document. Stacks up to 999 copies of each page or sorts into original document order

### Enlargement/Reduction Ratio

Reduce or increase document sizes from 25% to 400% in 1% increments

### 2 in 1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

### N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

## Scan

<b>Scanner Type</b>	Dual CIS (Contact Image Sensor)	<b>Scan Resolution from ADF</b>	<b>Colour Depth</b>
		600 x 600dpi (mono) 300 x 600dpi (colour)	48 bit colour processing (Input) 24 bit colour processing (Output)
<b>Colour and Mono Scanning</b>	Yes	<b>Scan Resolution from Scanner Glass</b>	<b>Grey Scale</b>
		1200 x 2400dpi (mono) 1200 x 1200dpi (colour)	16 bit colour processing (Input) 8 bit colour processing (Output)
<b>Scan Speed (A4)<sup>3</sup></b>	1-Sided: 25.0 ipm Mono / Colour 2-Sided: 30.0 ipm Mono / Colour	<b>Interpolated Scan Resolution</b>	
		Brother Scanner Utility enhances up to 19,200 x 19,200dpi	
<b>Scan Speed (A3)<sup>3</sup></b>	1-Sided: 13.0 ipm Mono / Colour 2-Sided: 17.0 ipm Mono / Colour		

## Scanner Functions

<b>Supported File Formats</b>	PDF, JPEG, TIFF	<b>Multi-page scan to Single PDF</b>	<b>Scan Features</b>
		Yes - iPrint&Scan only	Auto Deskew
<b>Standard Functions<sup>17</sup></b>	Scan to USB, E-mail, E-mail Server, Image, OCR, FTP, File, Network (windows only)	<b>Base Colour Removal</b>	<b>Direct Scan</b>
		Pull scan using iPrint&Scan Desktop or Push scan from Control panel	Scan directly to a USB flash memory storage

## Scanner Drivers

<b>Windows</b>	TWAIN and WIA Windows 11 (32 and 64 bit editions)	<b>macOS</b>	<b>ChromeOS</b>
		Scanning via macOS requires the use of AirPrint. Mac drivers are not provided	Supports native ChromeOS scanning

Visit [support.brother.com](http://support.brother.com) for the full list of supported OS and to download the latest drivers and software.

## Fax

### Fax Modem

33,600bps (Super G3)

### Grey Scale

256 shades (8 bit) of grey are available for faxing

### Out of Paper Reception

Up to 150 pages  
(ITU-T Test Chart #1/MMR)

### Memory Transmission

Up to 150 pages  
(ITU-T Test Chart #1))

## Fax Functions

### Station ID

An ID and fax number will be printed as the header of every fax sent

### PC-Fax Send<sup>15,18</sup>

### and Receive<sup>16,18</sup>

Send and Receive faxes directly from your PC. Supports mono only

## Fleet Management Tools

### BRAdmin<sup>16,17</sup>

LAN/WAN management software

### Embedded Web Server

Web based print management software embedded onto the device

### Mass Deployment Tool<sup>16</sup>

Provides a configuration interface to help manage and deploy device settings

## Software

### Brother iPrint&Scan Desktop<sup>15,17</sup>

Print from, scan to, preview copies and check the machine status from Windows or macOS PC

### Utilities

Provides setup guides, manual, FAQ, troubleshooting and contact to Brother customer service

### Easy Setup

Simple access to drivers and software for the installation of your Brother machine from [support.brother.com](http://support.brother.com)

## Connectivity

### Wired Network

Gigabit Ethernet  
(10Base-T / 100Base-TX / 1000Base-T)

### Wireless Network

2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode)  
IEEE 802.11 g/n (Wi-Fi Direct)  
  
5GHz: IEEE 802.11 a/n (Infrastructure Mode)  
IEEE 802.11 a/n (Wi-Fi Direct)

### Wi-Fi Direct®

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

### Wireless Setup Support

Wi-Fi Protected Setup (WPS)

### Mobile

Print or scan from your mobile device with Brother Mobile Connect, Airprint, Mopria

### Local Interface

Hi-Speed USB 2.0  
USB 2.0 Host (Front)

## Security Features

### Wired Network Security

APOP, SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP, POP3, IMAP4, FTP, LDAP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth (SMTP, POP3, IMAP4), Kerberos, IPsec  
When Internet FAX is downloaded

### Wireless Network Security

WEP 64/128bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES)  
\*Wi-Fi Direct supports WPA2-PSK (AES) only.

APOP, SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP, POP3, IMAP4, FTP, LDAP), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth (SMTP, POP3, IMAP4), Kerberos, IPsec

### IPv4

ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3, IMAP4, SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server, Syslog

### IPv6

NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3, IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server, Syslog

### IP Filter

Restrict which network users can or cannot access the device over the network (IPv4)

### E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

### E-mail Reports

Receive usage reports on a regular basis via e-mail

### SecureBoot

The integrity of the firmware is checked before allowing any user interaction. Only genuine Brother firmware can be used

### Automatic Intrusion Detection

All Brother Print devices are secure by design. Devices automatically recognise security attacks and take preventative measures, including rebooting where necessary, to ensure the device remains secure

### Firmware Updates

In addition to allowing automatic updates the printer can be set to not receive older firmware versions to avoid downgrade by an unauthorised user

### Firmware Encryption

During update firmware is transferred over a trusted HTTPS encrypted connection

### Digitally-signed Firmware

The firmware for Brother print and scan devices is digitally signed and secure

### Cloud Secure Print

Enables password protected driverless print job release

### Certificate Management

Use the default standard self-signed, create a custom self-signed certificate, certificate signing request (CSR), or external public certificate & private key for protected network communication

### Secure Function Lock 3.0

Use a 4 digit pin or a password to identify and authenticate an individual or groups of users over a network. Allows access control for up to 100 users

### Syslog

Allows IT Admin to access a single application (SIEM tool) to get device status updates for audit purposes over Syslog

### Port-based Network Access Control

(IEEE 802.1x)  
Brother devices are in full compliance with this standard, to allow connection to an 802.1x EAP (Extensible Authentication Protocol) protected network

### Restrict network protocol

The Protocol Control feature allows an administrator to restrict communication protocols (e.g. FTP, Telnet) as required

## Supplies and Consumables

### Inbox Ink<sup>10</sup>

1 x 358 page starter (BK)  
1 x 358 page starter (C,M,Y)

### Standard Yield Ink<sup>9</sup>

LC552 BK - 550 pages  
LC552 C,M,Y - 550 pages

### High Yield Ink<sup>9</sup>

LC552XL BK - 3,000 pages  
LC552XL C,M,Y - 1,500 pages

## Dimensions and Weights

### With Carton (WxDxH)

681 x 576 x 504mm - 28.60kg

### Without Carton (WxDxH)

576 x 477 x 375mm - 23.30kg

## Duty Cycle

### Recommended Monthly

Up to 2,500 pages

## Operating Environment

### Power Requirement

220 - 240V  
AC 50/60Hz

### Operating Environment

Humidity 20 - 80%  
10°C - 35°C  
50°F - 95°F

### Storage Environment

Humidity 20 - 80%  
0°C - 40°C  
32°F - 104°F

## Environment

### Approx Power Consumption<sup>13,14</sup>

Printing: 27W  
Copying: 31W  
Ready: 5.5W  
Sleep: 0.9W  
Power Off: 0.03W

### Sound Power<sup>12</sup>

Mono 6.89B(A)  
Colour 6.77B(A)

### Sound Pressure<sup>12</sup>

PC Printing (Colour/Mono):  
Approx. 54.5dB(A)

### TEC Value

0.13KWh

1. Print Speeds based on ISO/IEC 24734. 2. FPOT (First Print Out Time) based on ISO/IEC 17629. 3. Scan Speeds based on ISO/IEC 17991. 4. ADF Copy Speeds ESAT based on ISO/IEC 24735. 6. FCOT (First Copy Out Time) based on ISO/IEC 24735 Annex D. 9. Approx. declared yield value in accordance with ISO/IEC 24711. 10. The first time you install a set of ink cartridges the machine will use an amount of ink to fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining<sup>9</sup> will be a minimum of 358 pages BK and 358 pages CMY. 11. Capacity calculated with 80gsm paper. 12. Sound pressure and sound power level in accordance with ISO 7779. 13. Power consumption power off is measured according to IEC 62301 Edition 2.0. 14. Power consumption single-sided printing and scanning, resolution: standard / document: ISO/IEC 24712 printed pattern. 15. Windows and macOS only. 16. Windows only. 17. Optional download. 18. Requires an Internet connection. 20. Duty Cycles can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirement. 33. Advanced settings via legacy driver or the Print Support App. 34. Microsoft is transitioning towards driverless printing as the preferred standard. Legacy driver specifications remain supported for customers with existing deployment requirements.



App Store, Mac, macOS and AirPrint are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play and the Google Play logo are trademarks of Google LLC.



### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side